



Customer: The Hemp Collect
 2014 SE 9th Ave
 Portland Oregon 97214
 United States of America (USA)
Product identity: MHC, Gummy, Live D9, Sativa, Mango, 20mg
Material: Cannabinoid Edible
Laboratory ID: 26-007168-0001
Evidence of Cooling: No
Temp: 19.4 °C
Lot #: 3031NC_060926
Expiration Date (Client Provided): 06/18/2026
Serving Size #1: 8 g


**THE HEMP
COLLECT**

Sample Results

Potency					Method: J AOAC 2015 V98-6 (mod) ^b			Batch: 2604708		Analyzed: 06/15/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1			Result	Units	LOQ	
					Result	Units	LOQ				
CBC	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
CBC-A	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
CBC-Total	< LOQ	%	0.0137		< LOQ	mg/8g	1.09				
CBD [±]	0.00956	%	0.0073		0.764	mg/8g	0.582				
CBD-A [±]	0.0126	%	0.0073		1.01	mg/8g	0.582				
CBD-Total [±]	0.0206	%	0.0137		1.65	mg/8g	1.09				
CBDV	0.0420	%	0.0073		3.36	mg/8g	0.582				
CBDV-A	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
CBDV-Total	0.0420	%	0.0136		3.36	mg/8g	1.09				
CBE	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
CBG	0.0697	%	0.0073		5.57	mg/8g	0.582				
CBG-A	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
CBG-Total	0.0697	%	0.0136		5.58	mg/8g	1.09				
CBL	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
CBL-A	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
CBL-Total	< LOQ	%	0.0137		< LOQ	mg/8g	1.09				
CBN	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
CBT	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
Δ10-THC-9R	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
Δ10-THC-9S	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
Δ10-THC-Total	< LOQ	%	0.0146		< LOQ	mg/8g	1.16				
Δ8-THC [±]	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
Δ8-THCV	0.0194	%	0.0073		1.55	mg/8g	0.582				
Δ9-THC [±]	0.269	%	0.0073		21.5	mg/8g	0.582				
Δ9-THC-A [±]	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
Δ9-THC-Total [±]	0.269	%	0.0137		21.5	mg/8g	1.09				
Δ9-THCP	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
Δ9-THCV	0.0116	%	0.0073		0.928	mg/8g	0.582				
Δ9-THCV-A	< LOQ	%	0.0073		< LOQ	mg/8g	0.582				
Δ9-THCV-Total	< LOQ	%	0.0136		< LOQ	mg/8g	1.09				



Potency	Method: J AOAC 2015 V98-6 (mod) ^b	Batch: 2604708	Analyzed: 06/15/26
----------------	---	-----------------------	---------------------------

Analyte	Result	Units	LOQ	Notes	Serving Size #1	Result	Units	LOQ
exo-THC	< LOQ	%	0.0073			< LOQ	mg/8g	0.582
Total Cannabinoids	0.434	%				34.7	mg/8g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. [±]	Negative		/25g		2604585	06/13/26 AOAC 2020.02 ^b		
EHEC including STEC [±]	Negative		/25g		2604586	06/13/26 AOAC 2020.06 ^b		

Solvents	Method: Residual Solvents by HS-GC-MS ^b	Units µg/g	Batch 2604781	Analyze: 06/15/26
-----------------	---	-------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [±]	< LOQ		200		
2,3-Dimethylbutane [±]	< LOQ		30.0			3-Methylpentane [±]	< LOQ		30.0		
Acetone [±]	< LOQ	5000	200	pass		Acetonitrile [±]	< LOQ	410	100	pass	
Benzene [±]	< LOQ	2.00	1.00	pass		Butanes (sum) [±]	< LOQ	5000	400	pass	
Cyclohexane [±]	< LOQ	3880	200	pass		Ethyl acetate [±]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [±]	< LOQ	5000	200	pass	
Ethylene glycol [±]	< LOQ	620	200	pass		Ethylene oxide [±]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [±]	< LOQ	290	150	pass		Isopropyl acetate [±]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [±]	< LOQ	70.0	30.0	pass		m,p-Xylene [±]	< LOQ		200		
Methanol [±]	< LOQ	3000	200	pass		Methylene chloride [±]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [±]	< LOQ		200			n-Butane [±]	< LOQ		200		
n-Heptane [±]	< LOQ	5000	200	pass		n-Hexane [±]	< LOQ		30.0		
n-Pentane [±]	< LOQ		200			o-Xylene [±]	< LOQ		200		
Pentanes (sum) [±]	< LOQ	5000	600	pass		Propane [±]	< LOQ	5000	200	pass	
Tetrahydrofuran [±]	< LOQ	720	100	pass		Toluene [±]	< LOQ	890	100	pass	
Total Xylenes [±]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2604750	Analyze: 06/15/26
-------------------	--	--------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [±]	< LOQ	0.50	0.250	pass		Acephate [±]	< LOQ	0.40	0.200	pass	
Acequinocyl [±]	< LOQ	2.0	1.00	pass		Acetamiprid [±]	< LOQ	0.20	0.100	pass	
Aldicarb [±]	< LOQ	0.40	0.200	pass		Azoxystrobin [±]	< LOQ	0.20	0.100	pass	
Bifenazate [±]	< LOQ	0.20	0.100	pass		Bifenthrin [±]	< LOQ	0.20	0.100	pass	
Boscalid [±]	< LOQ	0.40	0.200	pass		Carbaryl [±]	< LOQ	0.20	0.100	pass	
Carbofuran [±]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [±]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [±]	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl [±]	< LOQ	0.20	0.100	pass	
Clofentezine [±]	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) [±]	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) [±]	< LOQ	1.0	0.500	pass		Daminozide [±]	< LOQ	1.0	0.500	pass	
Diazinon [±]	< LOQ	0.20	0.100	pass		Dichlorvos [±]	< LOQ	1.0	0.500	pass	
Dimethoate [±]	< LOQ	0.20	0.100	pass		Ethoprophos [±]	< LOQ	0.20	0.100	pass	
Etofenprox [±]	< LOQ	0.40	0.200	pass		Etoxazole [±]	< LOQ	0.20	0.100	pass	



Pesticides										
Method: AOAC 2007.01 & EN 15662 (mod)						Units mg/kg		Batch 2604750		Analyze: 06/15/26
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status
Fenoxycarb [±]	< LOQ	0.20	0.100	pass		Fenpyroximate [±]	< LOQ	0.40	0.200	pass
Fipronil [±]	< LOQ	0.40	0.200	pass		Flonicamid [±]	< LOQ	1.0	0.400	pass
Fludioxonil [±]	< LOQ	0.40	0.200	pass		Hexythiazox [±]	< LOQ	1.0	0.400	pass
Imazalil [±]	< LOQ	0.20	0.100	pass		Imidacloprid [±]	< LOQ	0.40	0.200	pass
Kresoxim-methyl [±]	< LOQ	0.40	0.200	pass		Malathion [±]	< LOQ	0.20	0.100	pass
Metalaxyl [±]	< LOQ	0.20	0.100	pass		Methiocarb [±]	< LOQ	0.20	0.100	pass
Methomyl [±]	< LOQ	0.40	0.200	pass		MGK-264 [±]	< LOQ	0.20	0.100	pass
Myclobutanil [±]	< LOQ	0.20	0.100	pass		Naled [±]	< LOQ	0.50	0.250	pass
Oxamyl [±]	< LOQ	1.0	0.500	pass		Paclobutrazole [±]	< LOQ	0.40	0.200	pass
Parathion-methyl [±]	< LOQ	0.20	0.100	pass		Permethrin [±]	< LOQ	0.20	0.100	pass
Phosmet [±]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [±]	< LOQ	2.0	1.00	pass
Prallethrin [±]	< LOQ	0.20	0.100	pass		Propiconazole [±]	< LOQ	0.40	0.200	pass
Propoxur [±]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [±]	< LOQ	1.0	0.500	pass
Pyridaben [±]	< LOQ	0.20	0.100	pass		Spinosad [±]	< LOQ	0.20	0.100	pass
Spiromesifen [±]	< LOQ	0.20	0.100	pass		Spirotetramat [±]	< LOQ	0.20	0.100	pass
Spiroxamine [±]	< LOQ	0.40	0.200	pass		Tebuconazole [±]	< LOQ	0.40	0.200	pass
Thiacloprid [±]	< LOQ	0.20	0.100	pass		Thiamethoxam [±]	< LOQ	0.20	0.100	pass
Trifloxystrobin [±]	< LOQ	0.20	0.100	pass						

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [±]	< LOQ	0.200	mg/kg	0.0169	2604644	06/12/26 AOAC 2013.06 (mod.) ^b	pass	
Cadmium [±]	< LOQ	0.200	mg/kg	0.0169	2604644	06/12/26 AOAC 2013.06 (mod.) ^b	pass	
Lead [±]	< LOQ	0.500	mg/kg	0.0169	2604644	06/12/26 AOAC 2013.06 (mod.) ^b	pass	
Mercury [±]	< LOQ	0.100	mg/kg	0.00843	2604644	06/12/26 AOAC 2013.06 (mod.) ^b	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2604633	06/16/26 Mycotoxins by AOAC 2007.01		
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2604633	06/16/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2604633	06/16/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2604633	06/16/26 Mycotoxins by AOAC 2007.01		
Ochratoxin A [±]	< LOQ	20.0	µg/kg	5.00	2604633	06/16/26 Mycotoxins by AOAC 2007.01	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		06/18/26 Mycotoxins by AOAC 2007.01 ^b	pass	

Notes:

Measurement of Uncertainty for D9 THC in edibles is +/- 7.5%.

**Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Threshold Note: OAR 333-007-0400

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = $\mu\text{g/g}$ divided by 10,000

/25g = Per 25g

$\mu\text{g/g}$ = Microgram per gram

$\mu\text{g/kg}$ = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

mg/8g = Milligram per 8g

Approved Signatory



Derrick Tanner
General Manager





12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 26-007168/D002.R000
Report Date: 06/18/2026
ORELAP#: OR100028
Received: 06/11/26 10:44



**Hemp & Cannabis
Chain of Custody**

**The-Hemp-
Collect-1780689155**

Company Details Company: The Hemp Collect Contact: Chris Major Street Address: 2014 SE 9th Ave City, State, Zip: Portland, OR 97214 Email: chrism@thehempcollect.com Contact Phone: 5034386783 Company Phone: 5034386783 Billing Information Billing Phone: 5034386783 Billing Email: chrism@thehempcollect.com				Project Details Turnaround Time: 5 Business Days Reg. For Micro Testing Standard Compliance : Compliance - Product(s) Not Sold in Oregon Relinquishment Sampling, Courier & Shipping Options: By Shipping Service (USPS, UPS, Fedex) Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves			Testing
				CH006 - Oregon Package			
#	Sample Name	Lot Additional Sample ID	Reporting Unit		Material	Specifications	Amount Provided
1	MHC, Gummy, Live D9, Sativa, Mango, 20mg	303INC_060926	mg/g	Cannabinoid Edible	Please report as mg/g	10 each	✓

Package Details

Oregon Package: Aflatoxins+Ochratoxin | OLCC • Cannabis Heavy Metals Profile OR • Micro Profile OR (OLCC Comp) • Pesticides (OR - Cannabis) • Potency Cannabis (Basic+Expanded) • Residual Solvents (Cannabis - Oregon)

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>Chris Major</i>	<i>06/05/2026</i>	<i>12:52</i>	<i>amp</i>	<i>06/11/2026</i>	<i>10:44</i>	<i>19.40</i>	<i>CL-0586</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info.cl@tentamus.com

Page 1 of 1
www.columbialaboratories.com


Laboratory Quality Control Results

J AOAC 2015 V98-6

Batch ID: 2604708

Analyzed: 06/16/2026 12:36 PM

Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBE	0.0346	0.0349	%	99.3	80.0 - 120	Acceptable	
CBDA	0.0298	0.0304	%	98.1	90.0 - 110	Acceptable	
CBD	0.0284	0.0281	%	101	90.0 - 110	Acceptable	
CBN	0.0300	0.0303	%	99.0	80.0 - 120	Acceptable	
exo-THC	0.0307	0.0312	%	98.4	80.0 - 120	Acceptable	
d9THC	0.0280	0.0286	%	97.9	90.0 - 110	Acceptable	
d8THC	0.0294	0.0299	%	98.2	90.0 - 110	Acceptable	
CBL	0.0314	0.0317	%	99.3	80.0 - 120	Acceptable	
THCA	0.0316	0.0320	%	98.9	90.0 - 110	Acceptable	
CBLA	0.0317	0.0323	%	97.9	80.0 - 120	Acceptable	
CBT	0.0305	0.0310	%	98.2	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBE	<LOQ	0.00745	%	< 0.00745	Acceptable	
CBDA	<LOQ	0.00745	%	< 0.00745	Acceptable	
CBD	<LOQ	0.00745	%	< 0.00745	Acceptable	
CBN	<LOQ	0.00745	%	< 0.00745	Acceptable	
exo-THC	<LOQ	0.00745	%	< 0.00745	Acceptable	
d9THC	<LOQ	0.00745	%	< 0.00745	Acceptable	
d8THC	<LOQ	0.00745	%	< 0.00745	Acceptable	
CBL	<LOQ	0.00745	%	< 0.00745	Acceptable	
THCA	<LOQ	0.00745	%	< 0.00745	Acceptable	
CBLA	<LOQ	0.00745	%	< 0.00745	Acceptable	
CBT	<LOQ	0.00745	%	< 0.00745	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2604708 Analyzed: 06/16/2026 12:36 PM

Sample Duplicate

Sample ID: 26-007133-0003

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBE	<LOQ	<LOQ	0.00720	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00720	%	NA	< 10	Acceptable	
CBD	<LOQ	<LOQ	0.00720	%	NA	< 10	Acceptable	
CBN	0.515	0.523	0.00720	%	1.55	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00720	%	NA	< 20	Acceptable	
d9THC	0.513	0.525	0.00720	%	2.24	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00720	%	NA	< 10	Acceptable	
CBL	<LOQ	<LOQ	0.00720	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00720	%	NA	< 10	Acceptable	
CBLA	<LOQ	<LOQ	0.00720	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00720	%	NA	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

Residual Solvents					Batch ID: 2604781					
Method Blank					Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes	
1,1,1-Trichloroethane	ND	< 5		4.19	5	µg/g	83.8	50-150		
1,1-Dichloroethane	ND	< 1		0.864	1	µg/g	86.4	50-150		
1,1-Dichloroethene	ND	< 1		0.853	1	µg/g	85.3	50-150		
1,2-Dichloroethane	ND	< 1		0.872	1	µg/g	87.2	50-150		
1,2-Dichloroethene, trans-	ND	< 1		0.851	1	µg/g	85.1	50-150		
1,2-Dichloroethene,cis-	ND	< 1		0.806	1	µg/g	80.6	50-150		
1,4-Dioxane	ND	< 100		425	522	µg/g	81.4	60-120		
2,2-Dimethylbutane	ND	< 30		169	178	µg/g	94.9	60-120		
2,2-Dimethylpropane	ND	< 200		851	956	µg/g	89.0	60-120		
2,3-Dimethylbutane	ND	< 30		159	175	µg/g	90.9	60-120		
2-Butanol	ND	< 200		1540	1630	µg/g	94.5	60-120		
2-Ethoxyethanol	ND	< 30		176	185	µg/g	95.1	60-120		
2-Methylbutane	ND	< 200		1480	1620	µg/g	91.4	60-120		
2-Methylpentane	ND	< 30		153	172	µg/g	89.0	60-120		
2-Propanol	ND	< 200		1490	1620	µg/g	92.0	60-120		
3-Methylpentane	ND	< 30		148	172	µg/g	86.0	60-120		
Acetone	ND	< 200		1580	1640	µg/g	96.3	60-120		
Acetonitrile	ND	< 100		460	498	µg/g	92.4	60-120		
Benzene	ND	< 1		0.812	1	µg/g	81.2	50-150		
Butane	ND	< 200		705	769	µg/g	91.7	60-120		
Carbon Tetrachloride	ND	< 1		0.796	1	µg/g	79.6	50-150		
Chlorobenzene	ND	< 1		0.808	1	µg/g	80.8	50-150		
Chloroform	ND	< 1		0.838	1	µg/g	83.8	50-150		
Cumene	ND	< 30		149	191	µg/g	78.0	60-120		
Cyclohexane	ND	< 200		1390	1630	µg/g	85.3	60-120		
Dichloromethane	ND	< 1		0.805	1	µg/g	80.5	50-150		
Ethanol	ND	< 200		1400	1640	µg/g	85.4	60-120		
Ethyl acetate	ND	< 200		1510	1630	µg/g	92.6	60-120		
Ethyl Ether	ND	< 200		1450	1620	µg/g	89.5	60-120		
Ethylbenzene	ND	< 200		822	991	µg/g	82.9	60-120		
Ethylene Glycol	ND	< 200		431	503	µg/g	85.7	60-120		
Ethylene Oxide	ND	< 1		0.831	1	µg/g	83.1	50-150		
Heptane	ND	< 200		1490	1630	µg/g	91.4	60-120		
Hexane	ND	< 30		168	189	µg/g	88.9	60-120		
Isobutane	ND	< 200		694	770	µg/g	90.1	60-120		
Isopropyl Acetate	ND	< 200		1520	1650	µg/g	92.1	60-120		
m,p-Xylene	ND	< 200		877	994	µg/g	88.2	60-120		
Methanol	ND	< 200		1610	1630	µg/g	98.8	60-120		
o-Xylene	ND	< 200		818	984	µg/g	83.1	60-120		
Pentane	ND	< 200		1520	1640	µg/g	92.7	60-120		
Propane	ND	< 200		558	585	µg/g	95.4	60-120		
Tetrahydrofuran	ND	< 100		453	516	µg/g	87.8	60-120		
Toluene	ND	< 100		425	514	µg/g	82.7	60-120		
Trichloroethylene	ND	< 1		0.753	1	µg/g	75.3	50-150		


 Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate
Sample ID: 26-007176-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1,1-Trichloroethane	ND	ND	5	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, trans-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, cis-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Carbon Tetrachloride	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chlorobenzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm