



# Certificate of Analysis

**Sherpa**

12011 Starcrest Dr  
San Antonio, TX 78247  
info@tcfmanufacturing.com  
12105072056

**Sample #:2512ES0521-4478**

Batch #5567 Lot WIL10126  
Sample Received: 1/2/2026  
Report Created: 1/16/2026

**10mg Quick Stix - Wildberry Medley**

Ingestible, Beverage



**PASS**  
Pesticides

**PASS**  
Microbials

**PASS**  
Mycotoxins

**PASS**  
Solvents

**PASS**  
Metals

**PASS**  
Foreign Matter

## Cannabinoids

**9.45**  
Total THC

**ND**  
Total CBD

**9.45**  
Total Cannabinoid

| Analyte           | LOQ     | Mass    | Mass  |
|-------------------|---------|---------|-------|
|                   | mg/unit | mg/unit | %     |
| CBD               | 0.0126  | ND      | 0.000 |
| THCV              | 0.016   | ND      | 0.00  |
| CBDV              | 0.0126  | ND      | 0.00  |
| CBG               | 0.0126  | ND      | 0.000 |
| CBDa              | 0.0126  | ND      | 0.00  |
| CBGa              | 0.0126  | ND      | 0.00  |
| CBN               | 0.0126  | ND      | 0.00  |
| Δ9-THC            | 0.0126  | 9.45    | 0.150 |
| Δ8-THC            | 0.0126  | ND      | 0.00  |
| CBC               | 0.0126  | ND      | 0.00  |
| THCa              | 0.016   | ND      | 0.00  |
| THCVa             | 0.0126  | ND      | 0.00  |
| Total Cannabinoid |         | 9.45    | 0.00  |

Unit Size 6.3 g  
SOP.T20.050, SOP.T40.020, HPLC/UV

Total THC = (THCa \* 0.877) + d9-THC  
Total CBD = (CBDa \* 0.877) + CBD

Date Completed: 1/16/2026

120 NE 26th St.  
Oklahoma City, OK  
<http://www.esl-ok.com>

Robert Turner, Ph.D.

Items Analyzed as Received  
Results relate only to the items tested  
Measurement of Uncertainty



# Certificate of Analysis

**Sherpa**

12011 Starcrest Dr  
San Antonio, TX 78247  
info@tcfmanufacturing.com  
12105072056

**Sample #:2512ES0521-4478**

Batch #5567 Lot WIL10126  
Sample Received: 1/2/2026  
Report Created: 1/16/2026

**10mg Quick Stix - Wildberry Medley**

Ingestible, Beverage

## Pesticides

| Analyte      | LOQ | Limit | Mass | Status |
|--------------|-----|-------|------|--------|
|              | PPB | PPB   | PPB  |        |
| Abamectin    | 0.2 | 500   | 0    | PASS   |
| Azoxystrobin | 0.1 | 200   | 0    | PASS   |
| Bifenazate   | 0.1 | 200   | 0    | PASS   |
| Etoxazole    | 0.1 | 200   | 0    | PASS   |
| Imazalil     | 0.1 | 200   | 0    | PASS   |
| Imidacloprid | 0.1 | 400   | 0    | PASS   |
| Malathion    | 0.1 | 200   | 0    | PASS   |

| Analyte       | LOQ | Limit | Mass | Status |
|---------------|-----|-------|------|--------|
|               | PPB | PPB   | PPB  |        |
| Myclobutanil  | 0.2 | 500   | 0    | PASS   |
| Permethrins   | 0.1 | 200   | 0    | PASS   |
| Spinosad      | 0.1 | 200   | 0    | PASS   |
| Spiromesifen  | 0.1 | 200   | 0    | PASS   |
| Spirotetramat | 0.1 | 200   | 0    | PASS   |
| Tebuconazole  | 0.1 | 400   | 0    | PASS   |

SOP.T.30.065;SOP.T.40.065 ; LCMSMS

Date Completed: 1/16/2026



# Certificate of Analysis

**Sherpa**

12011 Starcrest Dr  
San Antonio, TX 78247  
info@tcfmanufacturing.com  
12105072056

**Sample #:2512ES0521-4478**

Batch #5567 Lot WIL10126  
Sample Received: 1/2/2026  
Report Created: 1/16/2026

**10mg Quick Stix - Wildberry Medley**

Ingestible, Beverage

## Mycotoxins

| Analyte          | LOQ | Limit | Mass | Status |
|------------------|-----|-------|------|--------|
|                  | PPB | PPB   | PPB  |        |
| Aflatoxin B1     | 2   |       | ND   | PASS   |
| Aflatoxin B2     | 2   |       | ND   | PASS   |
| Aflatoxin G1     | 2   |       | ND   | PASS   |
| Aflatoxin G2     | 2   |       | ND   | PASS   |
| Aflatoxins Total |     | 20    | ND   | PASS   |
| Ochratoxin A     | 2   | 20    | ND   | PASS   |

SOP.T.30.065: LCMSMS  
Date Completed: 1/16/2026

## Microbials

| Analyte               | Limit | Mass  | Status |
|-----------------------|-------|-------|--------|
|                       | CFU/g | CFU/g |        |
| Aspergillus flavus    | 1     | ND    | PASS   |
| Aspergillus fumigatus | 1     | ND    | PASS   |
| Aspergillus niger     | 1     | ND    | PASS   |
| Aspergillus terreus   | 1     | ND    | PASS   |
| Salmonella            | 1     | ND    | PASS   |
| Shiga Toxin E. Coli   | 1     | ND    | PASS   |
| Yeast & Mold          | 1000  | ND    | PASS   |

SOP.T.40.046; Technology: Plating  
Date Completed: 1/16/2026

## Heavy Metals

| Analyte | LOQ   | Limit | Mass | Status |
|---------|-------|-------|------|--------|
|         | PPM   | PPM   | PPM  |        |
| Arsenic | 0.037 | 1.500 | ND   | PASS   |
| Cadmium | 0.025 | 0.500 | ND   | PASS   |
| Lead    | 0.100 | 1.000 | ND   | PASS   |
| Mercury | 0.025 | 1.500 | ND   | PASS   |

SOP.T.30.052: SOP.T.40.050: ICP-MS  
Date Completed: 1/16/2026

## Residual Solvents

| Analyte            | LOQ    | Limit | Mass | Status |
|--------------------|--------|-------|------|--------|
|                    | PPM    | PPM   | PPM  |        |
| Propane            | 12.4   | 1000  | ND   | PASS   |
| Butanes            | 46     | 1000  | ND   | PASS   |
| Methanol           | 11.84  | 600   | ND   | PASS   |
| Ethylene Oxide     | 0.0629 |       | ND   | PASS   |
| Pentane            | 12     | 1000  | ND   | PASS   |
| Ethanol            | 23     | 5000  | ND   | PASS   |
| Ethyl-Ether        | 7      |       | ND   | PASS   |
| Acetone            | 18     | 1000  | ND   | PASS   |
| Isopropanol        | 20     | 1000  | ND   | PASS   |
| Acetonitrile       | 18     |       | ND   | PASS   |
| Methylene-Chloride | 1.71   |       | ND   | PASS   |
| n-Hexane           | 0.84   | 60    | ND   | PASS   |
| Ethyl-Acetate      | 8      | 1000  | ND   | PASS   |
| Chloroform         | 0.0329 |       | ND   | PASS   |
| Benzene            | 0.0071 | 2     | ND   | PASS   |
| Heptanes           | 10     | 1000  | ND   | PASS   |
| Trichloroethene    | 0.17   |       | ND   | PASS   |
| Toluene            | 4.49   | 180   | ND   | PASS   |
| Xylenes            | 48.1   | 430   | ND   | PASS   |

SOP.T.40.033; GCMS-Headspace  
Date Completed: 1/16/2026



# Certificate of Analysis

**Sherpa**

12011 Starcrest Dr  
San Antonio, TX 78247  
[info@tcfmanufacturing.com](mailto:info@tcfmanufacturing.com)  
12105072056

**Sample #:2512ES0521-4478**

Batch #5567 Lot WIL10126  
Sample Received: 1/2/2026  
Report Created: 1/16/2026

**10mg Quick Stix - Wildberry Medley**  
Ingestible, Beverage

## Client Supplied Information/Notes

Oklahoma City, OK  
<http://www.esl-ok.com>  
Lic# L24-772

  
Robert Turner, Ph.D.  
Medical Laboratory Director

Results relate only to the items tested  
Measurement of Uncertainty  
is available upon request



New Bloom Labs  
6121 Heritage Park Dr.  
Chattanooga, TN 37416

(844) 837-8223  
http://newbloomlabs.com  
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

## 10mg Quick Stix- Wildberry Medley

Sample ID: 2603NBL0427.1195

Matrix: Ingestible

Type: Other

Sample Size:

Date Collected:

Received: 03/11/2026

Completed: 03/23/2026

Expires: 03/23/2027

External Lot ID: WIL10126

Batch#: 5567

Client

Sherpa

Lic. #

12011 Starcrest Dr San Antonio, TX 78247

(210) 507-2056 info@tcfmanufacturing.com



### Pesticides

Complete

| Analyte             | LOQ   | LOD   | Limit | Result | Status | Analyte                 | LOQ   | LOD   | Limit | Result | Status |
|---------------------|-------|-------|-------|--------|--------|-------------------------|-------|-------|-------|--------|--------|
|                     | PPM   | PPM   | PPM   | PPM    |        |                         | PPM   | PPM   | PPM   | PPM    |        |
| Abamectin           | 0.092 | 0.027 |       | ND     | Tested | Fludioxonil             | 0.089 | 0.027 |       | ND     | Tested |
| Acephate            | 0.089 | 0.027 |       | ND     | Tested | Hexythiazox             | 0.089 | 0.027 |       | ND     | Tested |
| Acequinocyl         | 0.089 | 0.027 |       | ND     | Tested | Imazalil                | 0.089 | 0.027 |       | ND     | Tested |
| Acetamiprid         | 0.089 | 0.027 |       | ND     | Tested | Imidacloprid            | 0.089 | 0.027 |       | ND     | Tested |
| Aldicarb            | 0.089 | 0.027 |       | ND     | Tested | Kresoxim Methyl         | 0.089 | 0.027 |       | ND     | Tested |
| Azoxystrobin        | 0.089 | 0.027 |       | ND     | Tested | Malathion               | 0.089 | 0.027 |       | ND     | Tested |
| Bifenazate          | 0.089 | 0.027 |       | ND     | Tested | Metalaxyl               | 0.089 | 0.027 |       | ND     | Tested |
| Bifenthrin          | 0.089 | 0.027 |       | ND     | Tested | Methiocarb              | 0.089 | 0.027 |       | ND     | Tested |
| Boscalid            | 0.089 | 0.027 |       | ND     | Tested | Methomyl                | 0.089 | 0.027 |       | ND     | Tested |
| Captan              | 0.621 | 0.186 |       | ND     | Tested | Mevinphos               | 0.089 | 0.027 |       | ND     | Tested |
| Carbaryl            | 0.089 | 0.027 |       | ND     | Tested | Myclobutanil            | 0.089 | 0.027 |       | ND     | Tested |
| Carbofuran          | 0.089 | 0.027 |       | ND     | Tested | Naled                   | 0.222 | 0.067 |       | ND     | Tested |
| Chlorantraniliprole | 0.089 | 0.027 |       | ND     | Tested | Oxamyl                  | 0.089 | 0.027 |       | ND     | Tested |
| Chlorfenapyr        | 0.071 | 0.027 |       | ND     | Tested | Paclobutrazol           | 0.089 | 0.027 |       | ND     | Tested |
| Chloromequat        | 0.089 | 0.027 |       | ND     | Tested | Methyl Parathion        | 0.071 | 0.027 |       | ND     | Tested |
| Chlorpyrifos        | 0.089 | 0.027 |       | ND     | Tested | Pentachloronitrobenzene | 0.071 | 0.027 |       | ND     | Tested |
| Clofentezine        | 0.089 | 0.027 |       | ND     | Tested | Permethrins             | 0.089 | 0.027 |       | ND     | Tested |
| Coumaphos           | 0.089 | 0.027 |       | ND     | Tested | Phosmet                 | 0.089 | 0.027 |       | ND     | Tested |
| Cyfluthrin          | 0.443 | 0.133 |       | ND     | Tested | Piperonyl Butoxide      | 0.089 | 0.027 |       | ND     | Tested |
| Cypermethrin        | 0.443 | 0.133 |       | ND     | Tested | Prallethrin             | 0.089 | 0.027 |       | ND     | Tested |
| Daminozide          | 0.887 | 0.266 |       | ND     | Tested | Propiconazole           | 0.089 | 0.027 |       | ND     | Tested |
| Diazinon            | 0.089 | 0.027 |       | ND     | Tested | Propoxur                | 0.089 | 0.027 |       | ND     | Tested |
| Dichlorvos          | 0.044 | 0.014 |       | ND     | Tested | Pyrethrins              | 0.443 | 0.133 |       | ND     | Tested |
| Dimethoate          | 0.089 | 0.027 |       | ND     | Tested | Pyridaben               | 0.089 | 0.027 |       | ND     | Tested |
| Dimethomorph        | 0.085 | 0.027 |       | ND     | Tested | Spinetoram              | 0.089 | 0.027 |       | ND     | Tested |
| Ethoprophos         | 0.089 | 0.027 |       | ND     | Tested | Spinosad                | 0.090 | 0.027 |       | ND     | Tested |
| Etofenprox          | 0.089 | 0.027 |       | ND     | Tested | Spiromesifen            | 0.089 | 0.027 |       | ND     | Tested |
| Etoxazole           | 0.089 | 0.027 |       | ND     | Tested | Spirotetramat           | 0.089 | 0.027 |       | ND     | Tested |
| Fenhexamid          | 0.089 | 0.027 |       | ND     | Tested | Spiroxamine             | 0.089 | 0.027 |       | ND     | Tested |
| Fenoxycarb          | 0.089 | 0.027 |       | ND     | Tested | Tebuconazole            | 0.089 | 0.027 |       | ND     | Tested |
| Fenpyroximate       | 0.089 | 0.027 |       | ND     | Tested | Thiacloprid             | 0.089 | 0.027 |       | ND     | Tested |
| Fipronil            | 0.089 | 0.027 |       | ND     | Tested | Thiamethoxam            | 0.089 | 0.027 |       | ND     | Tested |
| Flonicamid          | 0.089 | 0.027 |       | ND     | Tested | Trifloxystrobin         | 0.089 | 0.027 |       | ND     | Tested |

Date Tested: 03/23/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
03/23/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000