

Sherpa

12011 Starcrest Dr
San Antonio, TX 78247
info@tcfmanufacturing.com
(210) 507-2056
Lic. #

Sample: 2512ES0529.4508

Strain: 5mg Seltzer- Passionfruit Mango
Batch#: LOT: PAS5126; Batch Size: g
Sample Received: 01/02/2026; Report Created: 01/17/2026
Additional Information:
Sampling: ; Environment:

5mg Seltzer- Passionfruit Mango

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Safety



Pass
Pesticides

Pass
Microbials

Pass
Mycotoxins

Pass
Solvents

Pass
Metals

Pass
Foreign Matter

Cannabinoids

5.11 mg/unit
Total THC

ND
Total CBD

5.11 mg/unit
Total Cannabinoids

Analyte	LOQ mg/unit	Mass mg/unit	Mass %
THCa	0.57	ND	ND
Δ9-THC	0.27	5.11	0.001
Δ8-THC	0.36	ND	ND
THCVa	0.53	ND	ND
THCV	0.60	ND	ND
CBDa	0.09	ND	ND
CBD	0.50	ND	ND
CBDV	0.05	ND	ND
CBN	0.04	ND	ND
CBGa	0.22	ND	ND
CBG	0.33	ND	ND
CBC	0.18	ND	ND
Total		5.11	0.001

Pass
Foreign Matter

Not Tested
NT
Water Activity

Not Tested
NT
Moisture

1 Unit = 355.00g
Total THC = (THCa * 0.877) + d9-THC
Total CBD = (CBDa * 0.877) + CBD
SOP.T20.050, SOP.T40.020, Technology: HPLC.
Moisture: SOP.T40.011, Moisture Analyzer.
Date Completed: 01/07/2026

120 NE 26th St.
Oklahoma City, OK
(405) 768-2310
http://www.esl-ok.com
Lic#


Robert Turner
Medical Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Sherpa

12011 Starcrest Dr
San Antonio, TX 78247
info@tcfmanufacturing.com
(210) 507-2056
Lic. #

Sample: 2512ES0529.4508

Strain: 5mg Seltzer- Passionfruit Mango
Batch#: LOT:PAS5126; Batch Size: g
Sample Received: 01/02/2026; Report Created: 01/17/2026
Additional Information:
Sampling: ; Environment:

5mg Seltzer- Passionfruit Mango

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Pesticides

Pass

Analyte	LOQ	Limit	Result	Status	Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB			PPB	PPB	PPB	
Abamectin	0.200	500.000	ND	Pass	Myclobutanil	0.100	200.000	ND	Pass
Azoxystrobin	0.100	200.000	ND	Pass	Permethrins	0.050	200.000	ND	Pass
Bifenazate	0.100	200.000	ND	Pass	Spinosad	0.020	200.000	ND	Pass
Etoxazole	0.100	200.000	ND	Pass	Spiromesifen	0.100	200.000	ND	Pass
Imazalil	0.100	200.000	ND	Pass	Spirotetramat	0.100	200.000	ND	Pass
Imidacloprid	0.100	400.000	ND	Pass	Tebuconazole	0.100	400.000	ND	Pass
Malathion	0.100	200.000	ND	Pass					

SOPT.30.065;SOPT.40.065 ; Technology: LC-MSMS.
Pesticides Residue by LC-MS/MS
Date Completed: 01/16/2026

120 NE 26th St.
Oklahoma City, OK
(405) 768-2310
http://www.esl-ok.com
Lic#



Robert Turner
Medical Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Sherpa

12011 Starcrest Dr
San Antonio, TX 78247
info@tcfmanufacturing.com
(210) 507-2056
Lic. #

Sample: 2512ES0529.4508

Strain: 5mg Seltzer- Passionfruit Mango
Batch#: LOT:PAS5126; Batch Size: g
Sample Received: 01/02/2026; Report Created: 01/17/2026
Additional Information:
Sampling: ; Environment:

5mg Seltzer- Passionfruit Mango

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	50.00	20.00	ND	Pass
B1	5.00		ND	Tested
B2	5.00		ND	Tested
G1	5.00		ND	Tested
G2	10.00		ND	Tested
Ochratoxin A	10.00	20.00	ND	Pass

SOPT.30.065: SOPT.30.065 : Technology LC-MSMS.
Date Completed: 01/16/2026

Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.037	1.500	ND	Pass
Cadmium	0.025	0.500	ND	Pass
Lead	0.100	1.000	ND	Pass
Mercury	0.025	1.500	ND	Pass

SOPT.30.052: SOPT.40.050: Technology: ICP-MS
Date Completed: 01/16/2026

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aspergillus flavus	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Salmonella	1	ND	Pass
Shiga Toxin E. Coli	1	ND	Pass
Yeast & Mold	10000	ND	Pass

SOPT.40.046; Technology: Plating.
Date Completed: 01/16/2026

Residual Solvents

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,2-Dichloro-Ethane			NR	NT
Acetone	59.000	1000.000	ND	Pass
Acetonitrile	59.000		ND	Tested
Benzene	0.024	2.000	ND	Pass
Butanes	462.000	1000.000	ND	Pass
Chloroform	0.110		ND	Tested
Ethanol	76.000	5000.000	ND	Pass
Ethyl-Acetate	26.000	1000.000	ND	Pass
Ethyl-Ether	22.000		ND	Tested
Ethylene Oxide	0.210		ND	Tested
Heptanes	1000.000	1000.000	ND	Pass
Isopropanol	68.000	1000.000	ND	Pass
m-Xylene	160.000	430.000	ND	Pass
Methanol	39.000	600.000	ND	Pass
Methylene-Chloride	6.000		ND	Tested
n-Hexane	3.000	60.000	ND	Pass
o-Xylene	31.000	430.000	ND	Pass
Pentane	120.000	1000.000	ND	Pass
Propane	41.000	1000.000	ND	Pass
Toluene	15.000	180.000	ND	Pass
Trichloroethene	1.000		ND	Tested
Xylenes		430.000	NR	NT

SOPT.40.033; Technology: GCMS-Headspace.
Date Completed: 01/16/2026

120 NE 26th St.
Oklahoma City, OK
(405) 768-2310
http://www.esl-ok.com
Lic#



Robert Turner
Medical Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Sherpa

12011 Starcrest Dr
San Antonio, TX 78247
info@tcfmanufacturing.com
(210) 507-2056
Lic. #

Sample: 2512ES0529.4508

Strain: 5mg Seltzer- Passionfruit Mango
Batch#: LOT:PAS5126; Batch Size: g
Sample Received: 01/02/2026; Report Created: 01/17/2026
Additional Information:
Sampling; ; Environment:

5mg Seltzer- Passionfruit Mango

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

**Client Supplied Information/Notes**

120 NE 26th St.
Oklahoma City, OK
(405) 768-2310
<http://www.esl-ok.com>
Lic#



Robert Turner
Medical Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

5mg Seltzer- Passionfruit Mango

Sample ID: 2603NBL0414.1148

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/06/2026

Completed: 03/16/2026

Expires: 03/16/2027

External Lot ID: PAS5126

Batch#:

Client

Sherpa

Lic. #

12011 Starcrest Dr San Antonio, TX 78247

(210) 507-2056 info@tcfmanufacturing.com



Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.093	0.027		ND	Tested	Fludioxonil	0.089	0.027		ND	Tested
Acephate	0.089	0.027		ND	Tested	Hexythiazox	0.089	0.027		ND	Tested
Acequinocyl	0.089	0.027		ND	Tested	Imazalil	0.089	0.027		ND	Tested
Acetamiprid	0.089	0.027		ND	Tested	Imidacloprid	0.089	0.027		ND	Tested
Aldicarb	0.089	0.027		ND	Tested	Kresoxim Methyl	0.089	0.027		ND	Tested
Azoxystrobin	0.089	0.027		ND	Tested	Malathion	0.089	0.027		ND	Tested
Bifenazate	0.089	0.027		ND	Tested	Metalaxyl	0.089	0.027		ND	Tested
Bifenthrin	0.089	0.027		ND	Tested	Methiocarb	0.089	0.027		ND	Tested
Boscalid	0.089	0.027		ND	Tested	Methomyl	0.089	0.027		ND	Tested
Captan	0.626	0.188		ND	Tested	Mevinphos	0.089	0.027		ND	Tested
Carbaryl	0.089	0.027		ND	Tested	Myclobutanil	0.089	0.027		ND	Tested
Carbofuran	0.089	0.027		ND	Tested	Naled	0.224	0.068		ND	Tested
Chlorantraniliprole	0.089	0.027		ND	Tested	Oxamyl	0.089	0.027		ND	Tested
Chlorfenapyr	0.072	0.027		ND	Tested	Paclobutrazol	0.089	0.027		ND	Tested
Chlormequat	0.089	0.027		ND	Tested	Methyl Parathion	0.072	0.027		ND	Tested
Chlorpyrifos	0.089	0.027		ND	Tested	Pentachloronitrobenzene	0.072	0.027		ND	Tested
Clofentezine	0.089	0.027		ND	Tested	Permethrins	0.089	0.027		ND	Tested
Coumaphos	0.089	0.027		ND	Tested	Phosmet	0.089	0.027		ND	Tested
Cyfluthrin	0.447	0.134		ND	Tested	Piperonyl Butoxide	0.089	0.027		ND	Tested
Cypermethrin	0.447	0.134		ND	Tested	Prallethrin	0.089	0.027		ND	Tested
Daminozide	0.894	0.268		ND	Tested	Propiconazole	0.089	0.027		ND	Tested
Diazinon	0.089	0.027		ND	Tested	Propoxur	0.089	0.027		ND	Tested
Dichlorvos	0.045	0.014		ND	Tested	Pyrethrins	0.447	0.134		ND	Tested
Dimethoate	0.089	0.027		ND	Tested	Pyridaben	0.089	0.027		ND	Tested
Dimethomorph	0.086	0.027		ND	Tested	Spinetoram	0.089	0.027		ND	Tested
Ethoprophos	0.089	0.027		ND	Tested	Spinosad	0.091	0.027		ND	Tested
Etofenprox	0.089	0.027		ND	Tested	Spiromesifen	0.089	0.027		ND	Tested
Etoxazole	0.089	0.027		ND	Tested	Spirotetramat	0.089	0.027		ND	Tested
Fenhexamid	0.089	0.027		ND	Tested	Spiroxamine	0.089	0.027		ND	Tested
Fenoxycarb	0.089	0.027		ND	Tested	Tebuconazole	0.089	0.027		ND	Tested
Fenpyroximate	0.089	0.027		ND	Tested	Thiacloprid	0.089	0.027		ND	Tested
Fipronil	0.089	0.027		ND	Tested	Thiamethoxam	0.089	0.027		ND	Tested
Flonicamid	0.089	0.027		ND	Tested	Trifloxystrobin	0.089	0.027		ND	Tested

Date Tested: 03/13/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/16/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000